

End Fittings & Swivels

For Wire & Synthetic Rope

Retail Price List 2025

Retail Price List

Effective January 1, 2025
All Prices Stated In U.S. Dollars

TERMS AND CONDITIONS OF SALE:

FREIGHT CHARGES

All products are shipped F.O.B. shipping point. Unless otherwise specified, products will normally be shipped over land or water, best way.

GENERAL

Prices, terms & conditions, and warranty are subject to change without notice. Orders will be shipped using the prices, warranty, and terms & conditions in effect at the time the order was placed.

SPECIFICATIONS

All specifications shown are subject to normal manufacturing tolerances and acceptable handling and inspection procedures prior to and during installation and subsequent use of the product. Designs and dimensions are subject to change without notice.

CANCELLATION

An order once placed and accepted by Esmet can be cancelled only with Esmet's consent and under terms which indemnify Esmet against loss. Orders for specials or standard goods in quantities larger than normal inventory may not be cancelled.

CREDIT AND PAYMENT TERMS

Normal terms are net 30 days. Open accounts will be extended to qualified customers with an initial order of \$500.00 or more. MasterCard, Visa, C.O.D., and C.I.A. terms are available for customers not on open account and ordering less than \$500.00.

CLAIMS


Damage or loss during shipment must be reported to the freight carrier and Esmet within 15 days of receipt. Esmet will assist in replacing products and filing claims. All other discrepancies must be reported to Esmet within 15 days.

RETURNS


Returned products must have a returned material authorization (RMA) number issued by Esmet within 90 days of delivery. A 25% re-stocking charge will be made on stock items. Goods must be received in the same condition as when shipped from Esmet. Special products may not be returnable. All returns must be prepaid.

MINIMUM ORDERS


Orders less than \$100.00 will be assessed a \$25.00 processing and handling fee.




CLEVIS: Forged Series			LBS.	
SELF-COLORED	ZINC-PLATED	GALVANIZED		
IGD-125-N	49.49	IGD-125-V	54.97	0.5
IGD-131-N	55.95	IGD-131-V	66.95	1.1
IGD-137-N	57.95	IGD-137-V	67.07	1.1
GD-143-N	89.95	GD-143-X	98.95	3.0
GD-150-N	98.99	GD-150-X	99.95	3.0
GD-156-N	120.99	GD-156-X	120.99	4.7
GD-162-N	142.99	GD-162-X	131.99	4.7
GD-175-N	197.99	GD-175-X	209.95	7.5
GD-187-N	219.99	GD-187-X	216.67	11.0
GD-199-N	272.77	GD-199-X	340.97	15.4
GD-1112-N	560.97	GD-1112-X	625.87	28.1
GD-1125-N	563.17	GD-1125-X	625.87	28.3



CLEVIS: Machined Series			LBS.			
SELF-COLORED	ZINC-PLATED	STAINLESS				
ID-106-N	29.67	ID-106-V	36.27	IS-106	68.17	0.1
ID-109-N	30.77	ID-109-V	37.37	IS-109	72.57	0.2
ID-112-N	31.87	ID-112-V	38.47	IS-112	72.57	0.2
ID-115-N	35.17	ID-115-V	41.77	IS-115	80.27	0.3
ID-118-N	35.17	ID-118-V	42.87	IS-118	82.47	0.3
ID-121-N	38.95	ID-121-V	47.95	IS-121	84.67	0.4
ID-125-N	39.95	ID-125-V	47.95	IS-125	85.77	0.4
ID-128-N	45.07	ID-128-V	58.27	IS-128	111.07	0.6
ID-131-N	46.97	ID-131-V	58.27	IS-131	112.17	0.6
ID-137-N	59.37	ID-137-V	72.57	IS-137	138.57	1.0
ID-143-N	100.09	ID-143-V	101.19	IS-143	174.87	1.5
ID-150-N	102.29	ID-150-V	103.37	IS-150	192.47	2.1
ID-156-N	111.07	ID-156-V	138.56	IS-156	265.07	4.1
ID-162-N	114.37	ID-162-V	141.87	IS-162	272.77	4.2
ID-175-N	156.19	ID-175-V	197.99	IS-175	362.99	7.0
ID-187-N	285.99	ID-187-V	329.99	IS-187	472.99	10.5
ID-199-N	369.95	ID-199-V	509.95	IS-199	802.99	15.0
ID-1112-N	FQ*	ID-1112-V	FQ*	IS-1112	FQ*	
ID-1125-N	FQ*	ID-1125-V	FQ*	IS-1125	FQ*	
ID-1137-N	FQ*	ID-1137-V	FQ*	IS-1137	FQ*	
ID-1150-N	FQ*	ID-1150-V	FQ*	IS-1150	FQ*	



CLEVIS with Pin and Cotter Pin: Industrial Series			LBS.	
SELF-COLORED	GALVANIZED			
PD-143-N	107.79	PD-143-X	101.95	3.0
PD-150-N	108.89	PD-150-X	103.37	3.0
PD-156-N	109.99	PD-156-X	124.27	4.7
PD-162-N	120.99	PD-162-X	130.87	4.7
PD-175-N	169.37	PD-175-X	209.95	7.6
PD-187-N	262.87	PD-187-X	367.37	15.8
PD-199-N	520.27	PD-199-X	670.97	28.3



EYE: Forged Series			LBS.	
SELF-COLORED	ZINC-PLATED	GALVANIZED		
IGD-225-N	41.97	IGD-225-X	43.99	0.5
IGD-231-N	62.95	IGD-231-X	62.95	0.5
IGD-237-N	62.95	IGD-237-X	62.95	0.7
GD-243-N	74.95	GD-243-X	79.95	1.6
GD-250-N	75.89	GD-250-X	79.95	1.7
GD-256-N	117.67	GD-256-X	126.49	4.7
GD-262-N	119.95	GD-262-X	127.59	4.7
GD-275-N	120.99	GD-275-X	132.95	4.7
IGD-287-N	229.95	IGD-287-X	262.95	7.7
IGD-299-N	427.87	IGD-299-X	482.87	11.3



EYE: Machined Series			LBS.			
SELF-COLORED	ZINC-PLATED	STAINLESS				
ID-206-N	23.95	ID-206-V	26.95	IS-206	47.95	0.1
ID-209-N	23.95	ID-209-V	26.95	IS-209	47.95	0.1
ID-212-N	25.95	ID-212-V	27.95	IS-212	48.37	0.1
ID-215-N	25.95	ID-215-V	28.57	IS-215	64.95	0.2
ID-218-N	26.39	ID-218-V	29.67	IS-218	64.95	0.2
ID-221-N	39.95	ID-221-V	39.95	IS-221	64.95	0.4
ID-225-N	39.95	ID-225-V	39.95	IS-225	64.95	0.4
ID-228-N	45.07	ID-228-V	44.95	IS-228	82.95	0.5
ID-231-N	51.67	ID-231-V	53.87	IS-231	89.95	0.5
ID-237-N	59.95	ID-237-V	56.95	IS-237	97.87	0.8
ID-243-N	82.95	ID-243-V	86.89	IS-243	152.95	1.8
ID-250-N	84.95	ID-250-V	91.95	IS-250	160.57	1.8
ID-256-N	104.95	ID-256-V	114.37	IS-256	209.95	4.2
ID-262-N	115.49	ID-262-V	119.95	IS-262	215.95	4.2
ID-275-N	126.49	ID-275-V	148.49	IS-275	276.07	7.0
ID-287-N	204.95	ID-287-V	227.69	IS-287	409.95	10.5
ID-299-N	344.95	ID-299-V	406.99	IS-299	599.99	15.0
ID-2112-N	FQ*	ID-2112-V	FQ*	IS-2112	FQ*	
ID-2125-N	FQ*	ID-2125-V	FQ*	IS-2125	FQ*	
ID-2137-N	FQ*	ID-2137-V	FQ*	IS-2137	FQ*	
ID-2150-N	FQ*	ID-2150-V	FQ*	IS-2150	FQ*	




TOWING EYE: Forged Series			LBS.	
SELF-COLORED	GALVANIZED			
Y-2762-N	167.17	Y-2762-X	207.87	5.2
Y-2775-N	167.17	Y-2775-X	207.87	5.2
Y-27112-N	475.17	Y-27112-X	518.07	16.6



OVAL EYE: Forged Series			LBS.	
SELF-COLORED	GALVANIZED			
X-3325-N	57.19	X-3325-X	62.69	0.6
X-3331-N	73.69	X-3331-X	76.99	0.0
X-3337-N	74.79	X-3337-X	78.09	0.9
X-3343-N	122.09	X-3343-X	129.95	2.2
X-3350-N	124.29	X-3350-X	131.99	2.2
X-3356-N	169.39	X-3356-X	184.79	6.1
X-3362-N	171.59	X-3362-X	186.99	6.2
X-3375-N	179.95	X-3375-X	194.95	6.2
X-3387-N	248.59	X-3387-X	259.59	11.0
X-3399-N	FQ*	X-3399-X	FQ*	16.0
X-33112-N	FQ*	X-33112-X	FQ*	33.7
X-33125-N	FQ*	X-33125-X	FQ*	34.0



DRUM			LBS.	
SELF-COLORED	ZINC-PLATED			
Y-2206-N	15.37	Y-2206-V	18.67	0.1
Y-2209-N	15.37	Y-2209-V	18.67	0.1
Y-2212-N	15.37	Y-2212-V	19.77	0.1
Y-2215-N	17.57	Y-2215-V	21.97	0.1
Y-2218-N	17.57	Y-2218-V	21.97	0.1
Y-2225-N	20.87	Y-2225-V	26.37	0.2
Y-2231-N	30.77	Y-2231-V	32.97	0.4
Y-2237-N	34.95	Y-2237-V	32.97	0.4
Y-2243-N	61.59	Y-2243-V	67.09	0.8
Y-2250-N	61.59	Y-2250-V	67.09	1.0
Y-2256-N	61.59	Y-2256-V	67.09	1.9
Y-2262-N	67.09	Y-2262-V	67.09	1.9
Y-2275-N	109.95	Y-2275-V	119.95	3.0
Y-2287-N	188.09	Y-2287-V	197.99	5.1
Y-2299-N	243.09	Y-2299-V	265.09	6.5
Y-22112-N	FQ*	Y-22112-V	FQ*	23.5
Y-22125-N	FQ*	Y-22125-V	FQ*	23.5
Y-22137-N	FQ*	Y-22137-V	FQ*	39.6
Y-22150-N	FQ*	Y-22150-V	FQ*	39.6



COUPLING			LBS.	
SELF-COLORED	ZINC-PLATED			
GD-506-N	37.39	GD-506-V	40.69	0.1
GD-509-N	37.39	GD-509-V	40.69	0.2
GD-512-N	37.95	GD-512-V	40.69	0.2
GD-515-N	37.95	GD-515-V	40.69	0.4
GD-518-N	37.95	GD-518-V	40.69	0.4
GD-521-N	50.59	GD-521-V	60.49	0.4
GD-525-N	50.59	GD-525-V	60.49	0.4
GD-528-N	67.09	GD-528-V	76.99	0.6
GD-531-N	67.09	GD-531-V	76.99	0.6
GD-537-N	69.95	GD-537-V	78.09	0.8
GD-543-N	84.95	GD-543-V	88.95	1.5
GD-550-N	103.39	GD-550-V	95.69	3.8
GD-556-N	119.89	GD-556-V	123.19	3.8
GD-562-N	133.09	GD-562-V	133.09	3.8
GD-575-N	215.59	GD-575-V	248.59	6.0
GD-587-N	281.59	GD-587-V	311.29	10.3
GD-599-N	342.09	GD-599-V	359.69	17.0
GD-5112-N	FQ*	GD-5112-V	FQ*	35.0
GD-5125-N	FQ*	GD-5125-V	FQ*	44.0
GD-5137-N	FQ*	GD-5137-V	FQ*	58.0
GD-5150-N	FQ*	GD-5150-V	FQ*	58.0

*Factory Quote

STUD: Coarse Thread

LBS.



SELF-COLORED		ZINC-PLATED	GALVANIZED	
IGD-312-N	29.95	IGD-312-V 28.57		0.5
IGD-318-N	49.95	IGD-318-V 44.95		0.7
GD-325-N	57.95	GD-325-V 59.95	GD-325-X 58.27	1.0
GD-331-N	59.95	GD-331-V 63.77	GD-331-X 63.77	1.8
GD-337-N	64.95	GD-337-V 68.17	GD-337-X 68.17	2.0
GD-343-N	77.95	GD-343-V 85.95	GD-343-X 89.95	3.6
GD-350-N	84.95	GD-350-V 91.27	GD-350-X 92.95	3.6
GD-356-N	114.37		GD-356-X 126.47	4.7
GD-362-N	118.77		GD-362-X 130.87	4.7
GD-375-N	147.95		GD-375-X 177.09	7.2
GD-387-N	205.67		GD-387-X 270.59	9.5
GD-399-N	338.77		GD-399-X 373.97	14.0

STUD: Coarse Thread

LBS.



GALVANIZED		STAINLESS	
		IGS-312	54.97
		IGS-318	79.17
		IGS-325	84.95
		IGS-331	99.95
		IGS-337	118.77
		IGS-343	139.95
ID-356-X	144.07	IGS-350	173.77
ID-362-X	147.37	IS-356	266.16
ID-375-X	199.07	IS-362	273.87
ID-387-X	359.95	IS-375	317.87
ID-399-X	FQ*	IS-387	519.95
ID-3112-X	FQ*	IS-399	FQ*
ID-3125-X	FQ*	IS-3112	FQ*
ID-3137-X	FQ*	IS-3125	FQ*
ID-3150-X	FQ*	IS-3137	FQ*
		IS-3150	FQ*

STUD: Fine Thread


LBS.



SELF-COLORED		ZINC-PLATED	STAINLESS	
ID-306-N	21.95	ID-306-V 26.95	IS-306	62.95
ID-309-N	21.97	ID-309-V 27.47	IS-309	50.57
ID-312-N	23.07	ID-312-V 28.57	IS-312	52.77
ID-315-N	32.95	ID-315-V 39.95	IS-315	67.07
ID-318-N	32.99	ID-318-V 40.95	IS-318	74.77
ID-321-N	49.95	ID-321-V 53.95	IS-321	82.95
ID-325-N	49.95	ID-325-V 53.95	IS-325	84.95
ID-328-N	49.95	ID-328-V 54.95	IS-328	102.95
ID-331-N	49.95	ID-331-V 57.95	IS-331	115.95
ID-337-N	54.97	ID-337-V 68.17	IS-337	139.95
ID-343-N	74.95	ID-343-V 89.95	IS-343	159.95
ID-350-N	76.97	ID-350-V 96.77	IS-350	179.27

OPEN BODY CLEVIS/SOCKET TURNBUCKLE: Forged Series

LBS.



GALVANIZED		ZINC-PLATED		STAINLESS	
XD-4025-AX	108.87				2.3
XD-4025-BX	123.95				2.6
XD-4025-CX	125.95				3.0
XD-4031-AX	126.49				2.3
XD-4031-BX	127.59				2.6
XD-4031-CX	129.79				3.0
XD-4037-AX	134.17				3.0
XD-4037-BX	148.47				3.6
XD-4037-CX	156.17				4.1
XD-4043-AX	175.99				4.6
XD-4043-BX	197.99				5.4
XD-4043-CX	215.59				6.1
XD-4050-AX	186.99				4.6
XD-4050-BX	197.99				5.4
XD-4050-CX	219.99				6.1
XD-4056-CX	305.77				9.3
XD-4056-DX	415.79				14.0
XD-4062-CX	302.47				9.3
XD-4062-DX	395.99				14.2
XD-4075-CX	967.99				22.9
XD-4075-DX	1297.99				28.6
XD-4075-EX	1308.99				34.3
XD-4087-CX	1022.99				22.9
XD-4087-DX	1374.99				28.6
XD-4087-EX	1385.99				34.3
XD-4099-CX	FQ*				37.5
XD-4099-DX	FQ*				40.7
XD-4099-EX	FQ*				42.0
XD-40112-DX	FQ*				71.0
XD-40112-EX	FQ*				75.0
XD-40125-DX	FQ*				78.2
XD-40125-EX	FQ*				82.0
XD-40137-EX	FQ*				91.4
XD-40150-EX	FQ*				94.3

*Factory Quote

OPEN BODY SOCKET/SOCKET TURNBUCKLE: Forged Series

LBS.



GALVANIZED		ZINC-PLATED		STAINLESS	
XD-5425-AX	129.95				2.3
XD-5425-BX	129.95				2.6
XD-5425-CX	133.07				3.0
XD-5431-AX	145.17				2.3
XD-5431-BX	141.87				2.6
XD-5431-CX	150.67				3.0
XD-5437-AX	153.97				3.0
XD-5437-BX	173.95				3.6
XD-5437-CX	189.95				4.1
XD-5443-AX	199.95				4.6
XD-5443-BX	209.95				5.4
XD-5443-CX	210.95				6.1
XD-5450-AX	210.09				4.6
XD-5450-BX	219.95				5.4
XD-5450-CX	232.09				6.1
XD-5456-CX	310.17				9.3
XD-5456-DX	460.87				14.0
XD-5462-CX	319.95				9.3
XD-5462-DX	428.99				14.2
XD-5475-CX	769.97				22.9
XD-5475-DX	999.95				28.6
XD-5475-EX	FQ*				34.3
XD-5487-CX	FQ*				22.9
XD-5487-DX	FQ*				28.6
XD-5487-EX	FQ*				34.3
XD-5499-CX	FQ*				37.5
XD-5499-DX	FQ*				40.7
XD-5499-EX	FQ*				42.0
XD-54112-DX	FQ*				71.0
XD-54112-EX	FQ*				75.0
XD-54125-DX	FQ*				78.2
XD-54125-EX	FQ*				82.0
XD-54137-EX	FQ*				94.1
XD-54150-EX	FQ*				94.3

CLOSED BODY CLEVIS/SOCKET TURNBUCKLE: Machined Series

LBS.



SELF-COLORED		ZINC-PLATED	STAINLESS	
ID-406-N	74.95	ID-406-V 79.95	IS-406	135.95
ID-409-N	75.95	ID-409-V 80.27	IS-409	148.47
ID-412-N	76.99	ID-412-V 86.87	IS-412	170.47
ID-415-N	126.95	ID-415-V 134.95	IS-415	195.77
ID-418-N	127.95	ID-418-V 135.95	IS-418	204.57
ID-421-N	131.95	ID-421-V 137.95	IS-421	229.87
ID-425-N	131.95	ID-425-V 139.95	IS-425	237.57
ID-428-N	134.95	ID-428-V 156.17	IS-428	307.97
ID-431-N	135.95	ID-431-V 157.27	IS-431	310.17
ID-437-N	169.95	ID-437-V 186.97	IS-437	379.95
ID-443-N	259.95	ID-443-V 289.95	IS-443	457.57
ID-450-N	269.95	ID-450-V 299.95	IS-450	537.87
ID-456-N	289.95	ID-456-V 319.95	IS-456	789.95
ID-462-N	299.95	ID-462-V 329.95	IS-462	789.95
ID-475-N	329.95	ID-475-V 389.95	IS-475	1259.95

CLOSED BODY SOCKET/SOCKET TURNBUCKLE: Machined Series

LBS.



SELF-COLORED		ZINC-PLATED	STAINLESS	
ID-5506-N	74.79	ID-5506-V 76.97	IS-5506	134.95
ID-5509-N	85.77	ID-5509-V 94.57	IS-5509	135.27
ID-5512-N	85.79	ID-5512-V 82.49	IS-5512	142.97
ID-5515-N	129.95	ID-5515-V 131.99	IS-5515	172.67
ID-5518-N	131.95	ID-5518-V 131.99	IS-5518	189.17
ID-5521-N	134.95	ID-5521-V 135.29	IS-5521	244.17
ID-5525-N	135.95	ID-5525-V 137.49	IS-5525	247.47
ID-5528-N	137.49	ID-5528-V 157.29	IS-5528	296.97
ID-5531-N	140.79	ID-5531-V 159.49	IS-5531	300.27
ID-5537-N	169.95	ID-5537-V 208.99	IS-5537	372.87
ID-5543-N	249.95	ID-5543-V 279.95	IS-5543	489.95
ID-5550-N	259.95	ID-5550-V 309.95	IS-5550	554.37
ID-5556-N	FQ*	ID-5556-V FQ*	IS-5556	604.99
ID-5562-N	FQ*	ID-5562-V FQ*	IS-5562	615.99

CLOSED BODY CLEVIS/CLEVIS TURNBUCKLE: Machined Series

LBS.



SELF-COLORED		ZINC-PLATED	STAINLESS	
IJD-406-N	74.95	IJD-406-V 76.99	IJS-406	133.07
IJD-409-N	82.49	IJD-409-V 91.27	IJS-409	175.97
IJD-412-N	82.49	IJD-412-V 93.49	IJS-412	189.95
IJD-415-N	119.95	IJD-415-V 125.37	IJS-415	209.95
IJD-418-N	120.99	IJD-418-V 129.77	IJS-418	209.95
IJD-421-N	120.99	IJD-421-V 131.99	IJS-421	245.27
IJD-425-N	120.99	IJD-425-V 131.99	IJS-425	245.27
IJD-428-N	129.77	IJD-428-V 151.77	IJS-428	291.47
IJD-431-N	130.87	IJD-431-V 153.99	IJS-431	291.47
IJD-437-N	159.95	IJD-437-V 175.97	IJS-437	359.95
IJD-443-N	199.95	IJD-443-V 228.77	IJS-443	438.87
IJD-450-N	289.95	IJD-450-V 293.67	IJS-450	513.67
IJD-475-N	395.99	IJD-475-V 431.17	IJS-462	FQ*
			IJS-475	FQ*

SWIVEL HOOK		LBS.		
SELF-COLORED		ZINC-PLATED		
Y-2518-N	109.95	Y-2518-V	119.95	1.2
Y-2525-N	119.95	Y-2525-V	129.95	1.4
Y-2531-N	124.95	Y-2531-V	139.95	1.6
Y-2537-N	148.95	Y-2537-V	159.95	2.7
Y-2543-N	259.95	Y-2543-V	263.99	3.9
Y-2550-N	299.95	Y-2550-V	309.95	5.0
Y-2556-N	309.95	Y-2556-V	318.99	10.0
Y-2562-N	319.95	Y-2562-V	329.99	11.0
Y-2575-N	582.99	Y-2575-V	637.99	16.0
Y-2587-N	FQ*	Y-2587-V	FQ*	21.0
Y-2599-N	FQ*	Y-2599-V	FQ*	30.3

NON-SWIVEL HOOK		LBS.		
SELF-COLORED		ZINC-PLATED		
Y-2618-N	73.69	Y-2618-V	82.49	0.6
Y-2625-N	97.95	Y-2625-V	94.59	0.9
Y-2631-N	98.99	Y-2631-V	118.79	1.3
Y-2637-N	109.99	Y-2637-V	134.19	1.7
Y-2643-N	179.95	Y-2643-V	138.59	2.8
Y-2650-N	197.99	Y-2650-V	183.69	4.0
Y-2656-N	229.95	Y-2656-V	277.19	8.0
Y-2662-N	241.99	Y-2662-V	294.79	8.3
Y-2675-N	329.99	Y-2675-V	420.19	13.4
Y-2687-N	450.99	Y-2687-V	458.69	18.6
Y-2699-N	505.99	Y-2699-V	610.49	27.2

SAFETY LATCH KIT			
SINGLE ACTION		DOUBLE ACTION	
L-227	20.89	L-490A	43.99
L-227A	21.99	L-490B	43.99
L-227B	24.19	L-490C	47.29
L-227C	29.67	L-490D	49.49
L-227D	38.49	L-490E	109.99
L-227E	49.95	L-490F	179.95
L-227F	67.95		
L-227G	76.99		
L-227J	164.99		

NON-BEARING OVAL EYE SWIVEL		LBS.		
SELF-COLORED		ZINC-PLATED		
Y-1143-N	164.99	Y-1143-V	175.97	2.2
Y-1150-N	164.99	Y-1150-V	179.27	2.3
Y-1156-N	199.07	Y-1156-V	241.99	10.0
Y-1162-N	219.95	Y-1162-V	252.99	10.0
Y-1175-N	349.95	Y-1175-V	362.99	10.0
Y-1187-N	359.95	Y-1187-V	399.95	12.2
Y-1199-N	FQ*	Y-1199-V	FQ*	16.8
Y-11112-N	FQ*	Y-11112-V	FQ*	40.0
Y-11125-N	FQ*	Y-11125-V	FQ*	41.2
Y-11137-N	FQ*	Y-11137-V	FQ*	89.1

CLEVIS WITH SISTER HOOK: Life Line		LBS.			
STAINLESS		ALUMINUM			
FOR WIRE ROPE					
NS-4843	202.37	2.1	NAF-4843	120.97	1.3
NS-4850	223.27	2.6	NAF-4856	145.95	1.3
NS-4856	240.87	2.8	FOR MYLAR & NYLON ROPE		
NS-4862	265.07	2.1	NAM-4856	218.87	0.7
FOR PULTRUDED ROD					
NSF-4843	293.67	2.6	NAM-4862	219.97	0.8
NSF-4856	322.27	2.1	FOR KEVLAR		
FOR MYLAR & NYLON ROPE					
NSM-4856	FQ*	2.6	NAK-4850	169.95	1.5
NSM-4862	FQ*	2.8			

CLEVIS WITHOUT SISTER HOOK		LBS.	
STAINLESS		ALUMINUM	
NSK-137 B	289.95	NAK-137 B	159.95
NSK-150 B	FQ*	NAK-150 B	159.95

CLOSED BODY TURNBUCKLE WITH SISTER HOOK: Life Line		LBS.			
STAINLESS		ALUMINUM			
FOR WIRE ROPE					
NS-4943	379.95	5.0	NAF-4943	241.99	2.1
NS-4950	389.95	5.5	NAF-4956	307.99	2.1
NS-4956	399.95	5.8	FOR MYLAR & NYLON ROPE		
NS-4962	395.97	5.0	NAM-4943	309.95	1.7
FOR PULTRUDED ROD					
NSF-4943	479.95	5.5	NAM-4950	FQ*	
NSF-4956	503.77	5.0	NAM-4956	309.95	1.9
FOR MYLAR & NYLON ROPE					
NSM-4943	FQ*	5.5	NAM-4962	285.99	2.0
NSM-4950	309.95		FOR KEVLAR		
NSM-4956	FQ*	5.8	NAK-4950	299.95	2.5
NSM-4962	FQ*				


REPLACEMENT SLEEVE		LBS.	
STAINLESS		ALUMINUM	
NS-943	50.57	NA-943	FQ*
NS-950	50.57	NA-956	26.37
NS-956	50.57	NAK-937	51.67
NS-962	53.87	NAK-950	64.95
NSK-956	53.87	NAK-956	FQ*
NSK-962	53.87	NAK-962	FQ*
NSK-937	99.95		
NSK-950	FQ*		

LIFE LINE INSULATOR		LBS.	
STAINLESS		LBS.	
SP-558	329.95		1.3

OFFSET EYE		LBS.	
X-3418	48.39		0.2

*Factory Quote

CLOSED BODY DOUBLE CLEVIS TURNBUCKLE: Antenna Fittings




NAVAL BRONZE
YZ-431-R 260.69



SLEEVE SELECTION TABLE

SELF-COLORED		ZINC-PLATED		STAINLESS	
ID-906-N	8.79	ID-906-V	8.79	IS-906	15.95
ID-909-N	8.95	ID-909-V	6.57	IS-909	12.07
ID-912-N	8.95	ID-912-V	6.57	IS-912	13.17
ID-915-N	8.59	ID-915-V	8.77	IS-915	15.37
ID-918-N	8.59	ID-918-V	8.77	IS-918	16.47
ID-921-N	22.95	ID-921-V	22.95	IS-921	16.47
ID-925-N	12.95	ID-925-V	9.95	IS-925	16.47
ID-928-N	12.95	ID-928-V	13.19	IS-928	24.95
ID-931-N	12.95	ID-931-V	14.27	IS-931	29.95
ID-937-N	13.17	ID-937-V	16.47	IS-937	29.95
ID-943-N	15.37	ID-943-V	18.67	IS-943	35.17
ID-950-N	17.57	ID-950-V	20.87	IS-950	38.47
ID-956-N	19.77	ID-956-V	25.27	IS-956	47.27
ID-962-N	26.39	ID-962-V	27.49	IS-962	49.47
ID-975-N	39.95	ID-975-V	42.95	IS-975	65.97
ID-987-N	49.95	ID-987-V	54.95	IS-987	80.27
ID-999-N	FQ*	ID-999-V	82.95	IS-999	133.07
ID-9112-N	FQ*	ID-9112-V	FQ*	IS-9112	250.77
ID-9125-N	FQ*	ID-9125-V	FQ*	IS-9125	382.79
ID-9137-N	FQ*	ID-9137-V	FQ*	IS-9137	FQ*
ID-9150-N	FQ*	ID-9150-V	FQ*	IS-9150	FQ*

RADIO ANTENNA OPEN END FITTING




NAVAL BRONZE
X-31-131-R 122.07

SHACKLE & PIN ASSEMBLY



NAVAL BRONZE
X-2843-R 117.67



ASSEMBLY KITS FOR INDIVIDUAL WIRE ROPE

		LBS.
SP-307-D	57.17	0.4
SP-307-E	57.17	0.8
SP-307-F	57.17	0.8
SP-307-G	57.17	0.7
SP-307-H	57.17	1.0
SP-307-J	57.17	1.0
SP-307-K	57.17	1.1
SP-307-L	57.17	1.0
SP-307-M	57.17	1.3
SP-307-N	57.17	1.2
SP-307-P	57.17	2.4
SP-307-Q	57.17	2.3
SP-307-R	57.17	3.3
SP-307-S	57.17	3.1
SP-307-T	57.17	3.5
SP-307-V	57.17	3.3
SP-307-W	57.17	

MA 800, MA 2600, MB 1500, ME 300 PLUG



MA 831	FQ*	MA 2625	14.95	MB 1518	9.87	ME 306	FQ*
MA 837	23.07	MA 2637	15.39	MB 1521	FQ*	ME 309	FQ*
MA 843	FQ*	MA 2643	15.39	MB 1525	10.97	ME 312	14.95
MA 850	23.09	MA 2650	16.47	MB 1528	FQ*	ME 315	14.95
MA 856	29.95	MA 2656	19.77	MB 1531	12.07	ME 318	9.87
MA 862	25.95	MA 2662	21.97	MB 1537	14.27	ME 321	9.87
MA 875	28.57	MA 2675	28.57	MB 1543	FQ*	ME 325	19.95
MA 887	31.87	MA 2687	31.87	MB 1550	21.99	ME 328	12.07
MA 899	49.95	MA 2699	40.67	MB 1556	FQ*	ME 331	12.07
MA 8112	52.77	MA 26112	52.11	MB 1562	23.09	ME 337	14.27
MA 8125	FQ*			MB 1575	FQ*	ME 343	15.37
				MB 1587	FQ*	ME 350	20.95
				MB 1599	FQ*	ME 356	19.77
						ME 362	21.97
						ME 375	28.57
						ME 387	31.87
						ME 399	FQ*

MB 700 PLUG



MB 709	5.47
MB 712	6.57
MB 715	8.95
MB 718	9.87
MB 721	9.87
MB 725	10.97
MB 728	12.07
MB 731	12.07
MB 737	14.27
MB 743	22.95
MB 750	22.95

MB 1600 PLUG



MB 1609	6.59
MB 1612	7.69
MB 1615	8.79
MB-1618	12.95
MB-1625	14.95
MB-1631	17.95

MZ 500 PLUG



MZ 537	14.27
MZ 543	15.37
MZ 550	16.47
MZ 556	25.29
MZ 562	31.87
MZ 575	45.07
MZ 587	58.29
MZ 599	58.29
MZ 5112	FQ*

MZ 1400 PLUG



MZ 1437	32.99
MZ 1443	28.57
MZ 1450	28.57
MZ 1462	28.57

MZ 1700 PLUG



MZ 1756	13.97
MZ 1762	17.97
MZ 1775	23.97
MZ 1787	34.97
MZ 1799	37.97
MZ 17112	89.99
MZ 17125	FQ*
MZ 17137	FQ*
MZ 17150	FQ*

MZ 1800 PLUG



MZ 1843	FQ*
MZ 1850	FQ*
MZ 1856	FQ*
MZ 1862	20.87
MZ 1875	31.87
MZ 1887	31.87
MZ 1899	45.07
MZ 18112	FQ*
MZ 18125	FQ*

MZ 1900 PLUG



MZ 1956	21.97
MZ 1962	21.97
MZ 1975	30.79
MZ 1987	43.99
MZ 1999	43.99
MZ 19112	72.57
MZ 19125	127.57
MZ 19137	FQ*
MZ 19150	FQ*



CLEVIS: Kevlar, Extruded Jacket

ALUMINUM

KA-112	94.95
KA-118	94.95
KA-125	124.95
KA-131	134.95
KA-137	155.95
KA-143	169.95
KA-150	169.95
KA-156	259.95
KA-162	366.29
KA-175	FQ*



CARABINER EYE SOCKET: Kernmantle Rope

LBS.

ALUMINUM


YAR-243	47.27	0.5
YAR-250	53.87	0.7
YAR-262	63.77	0.9



EYE: Kevlar, Extruded Jacket

ALUMINUM

KA-218	83.57
KA-225	101.95
KA-231	134.95
KA-237	142.99
KA-243	169.95
KA-250	169.95
KA-256	269.47
KA-262	340.99
KA-275	FQ*



CLEVIS: Kernmantle Rope (Machined)

LBS.

ALUMINUM


YAR-143	54.99	0.6
YAR-150	64.87	0.8
YAR-162	80.29	1.0



STUD: Kevlar, Extruded Jacket

ALUMINUM

KA-318	131.99
KA-325	131.99
KA-331	134.95
KA-337	134.95
KA-343	142.99
KA-350	159.95
KA-356	159.49
KA-362	309.95
KA-375	384.99



OPTICAL "OK" FITTING: Kevlar

OKS-148-4	49.49
OKS-150-4	49.49



CLEVIS: Kevlar, Braided Jacket

ALUMINUM

IKA-118	58.95
IKA-125	76.97
IKA-131	92.37
IKA-137	95.95
IKA-150	150.67
IKA-162	208.97
IKA-175	FQ*



ELECTRO-MECHANICAL: Cable

FQ*



EYE: Kevlar, Braided Jacket

ALUMINUM

IKA-218	58.95
IKA-225	75.87
IKA-231	86.87
IKA-237	123.17
IKA-250	142.97
IKA-262	189.95
IKA-275	252.99




STUD: Kevlar, Braided Jacket

ALUMINUM

IKA-318	69.95
IKA-325	70.39
IKA-331	119.87
IKA-337	130.87
IKA-350	223.27
IKA-362	241.99
IKA-375	FQ*

*Factory Quote


MODELS



3000 SERIES: Socket

P/N	SOCKET HOOK	P/N	SOCKET EYE	P/N	SOCKET CLEVIS
3031	239.95	3312	82.41	3412	99.95
3037	244.95	3318	94.69	3418	108.71
3043	409.95	3325	106.98	3425	124.49
3050	409.95	3331	199.95	3431	239.95
3056	678.41	3337	199.95	3437	239.95
3062	692.93	3343	259.95	3443	289.95
3075	1,114.95	3350	259.95	3450	299.95
3087	1,269.95	3356	419.95	3456	451.92
3099	2,249.95	3362	429.95	3462	457.31
		3375	599.95	3475	679.95
		3387	699.95	3487	709.95
		3399	1,249.95	3499	1,466.51


MODELS



3000 SERIES: Eye

P/N	EYE HOOK	P/N	EYE CLEVIS	P/N	EYE EYE
3131	234.82	3512	99.95	3612	86.82
3137	234.82	3518	108.94	3618	98.74
3143	349.95	3525	129.95	3625	114.06
3150	359.95	3531	219.95	3631	189.95
3156	757.35	3537	219.95	3637	189.95
3162	757.35	3543	289.95	3643	259.95
3175	1,029.95	3550	299.95	3650	269.95
3187	1,309.95	3556	569.95	3656	499.95
3199	2,129.95	3562	569.95	3662	499.95
		3575	629.95	3675	609.95
		3587	739.95	3687	699.95
		3599	1,384.93	3699	1,091.09


MODELS



3000 SERIES: Clevis

P/N	CLEVIS HOOK	P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
3231	269.95	3712	119.95	3812	99.95
3237	269.95	3718	124.28	3818	108.94
3243	409.95	3725	149.95	3825	129.95
3250	429.95	3731	259.95	3831	219.95
3256	699.95	3737	262.95	3837	219.95
3262	699.95	3743	349.95	3843	289.95
3275	1,029.95	3750	389.95	3850	299.95
3287	1,499.82	3756	529.95	3856	569.95
3299	2,259.95	3762	619.95	3862	569.95
		3775	689.95	3875	629.95
		3787	929.95	3887	739.95
		3799	1,479.95	3899	1,384.93


MODELS



6000 SERIES GOLD BAND SWIVELS: Socket

P/N	SOCKET HOOK	P/N	SOCKET EYE	P/N	SOCKET CLEVIS
6012	266.17	6312	239.95	6412	263.97
6025	293.67	6325	360.77	6425	311.27
6037	406.97	6337	424.57	6437	430.07
6050	489.95	6350	471.87	6450	460.87
6062	679.95	6362	471.89	6462	640.17
6075	1,079.95	6375	765.57	6475	799.67
6081	1,079.95	6381	787.57	6481	802.97
6087	2,529.99	6387	1,645.59	6487	1,572.99
6099	2,639.99	6399	1,645.59	6499	1,594.99
60125	FQ*	63125	FQ*	64125	FQ*
60150	FQ*	63150	FQ*	64150	FQ*


MODELS



6000 SERIES GOLD BAND SWIVELS: Eye

P/N	EYE HOOK	P/N	EYE CLEVIS	P/N	EYE EYE
6112	234.27	6512	172.67	6612	172.67
6125	309.07	6525	251.87	6625	251.87
6137	351.97	6537	375.07	6637	375.07
6150	439.99	6550	443.27	6650	443.27
6162	681.99	6562	617.07	6662	617.07
6175	1,129.95	6575	713.87	6675	713.87
6181	1,129.95	6581	734.77	6681	734.77
6187	2,529.99	6587	1,572.97	6687	1,572.97
6199	2,639.99	6599	1,594.97	6699	1,594.97
61125	FQ*	65125	FQ*	66125	FQ*
61150	FQ*	65150	FQ*	66150	FQ*


MODELS



6000 SERIES GOLD BAND SWIVELS: Clevis

P/N	CLEVIS HOOK	P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
6212	248.57	6712	189.17	6812	172.67
6225	266.17	6725	314.57	6825	251.87
6237	367.37	6737	427.87	6837	375.07
6250	494.97	6750	476.27	6850	443.27
6262	768.87	6762	674.27	6862	617.07
6275	1,129.95	6775	874.47	6875	713.87
6281	1,129.95	6781	900.87	6881	734.77
6287	2,529.99	6787	1,481.67	6887	1,572.97
6299	2,859.95	6799	2,063.57	6899	1,594.97
62125	FQ*	67125	3,699.95	68125	FQ*
62150	FQ*	67150	4,195.95	68150	FQ*

MODELS




65

66

STAINLESS STEEL SWIVEL: Sealed

P/N	EYE CLEVIS	P/N	EYE EYE
SS-6525	289.95	SS-6625	280.47
SS-6537	412.47	SS-6637	409.17
SS-6550	488.37	SS-6650	494.97
SS-6562	FQ*	SS-6662	719.95

MODELS




67

68

STAINLESS STEEL SWIVEL: Sealed

P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
SS-6725	349.95	SS-6825	285.99
SS-6737	469.67	SS-6837	412.47
SS-6750	523.57	SS-6850	488.37
SS-6762	999.95	SS-6862	759.95

MODELS




65

66

STAINLESS STEEL SWIVEL: Sealed Pressure Compensated

P/N	EYE CLEVIS	P/N	EYE EYE
SSP-6525	345.39	SSP-6625	419.95
SSP-6537	472.97	SSP-6637	479.95
SSP-6550	FQ*	SSP-6650	699.95
SSP-6562	FQ*	SSP-6662	859.95
SSP-6575	FQ*	SSP-6675	1,499.95
SSP-6587	FQ*	SSP-6687	FQ*
SSP-6599	FQ*	SSP-6699	FQ*

MODELS




67

68

STAINLESS STEEL SWIVEL: Sealed Pressure Compensated


P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
SSP-6725	377.27	SSP-6825	395.99
SSP-6737	549.95	SSP-6837	472.97
SSP-6750	759.95	SSP-6850	719.37
SSP-6762	857.99	SSP-6862	879.99
SSP-6775	1,599.95	SSP-6875	1,599.95
SSP-6787	FQ*	SSP-6887	FQ*
SSP-6799	FQ*	SSP-6899	FQ*

*Factory Quote




7200 SERIES 90-DEGREE CONNECTOR: Clevis/Clevis

P/N	SWL Tons	
7212	.9	43.99
7225	2	47.29
7237	4	67.07
7250	5	74.77
7262	8	109.95
7275	15	190.27



ROPE THIMBLE: For Clevis Swivel

Rope Size	P/N	
1/2	L-713-4	12.95
3/4	L-713-9	35.26
7/8	L-713-8	54.95
1	L-713-8	54.95




3000 SERIES CLEVIS PIN: Slot

SWIVEL SIZE	P/N	
-12	LS-410K	19.95
-18	LS-410L	19.95
-25	LS-410M	20.95



SAFE-LINE CLAMP


		LBS.
AC-1012Y	29.95	0.1
AC-1018Y	32.95	0.3
AC-1025Y	38.59	0.3
AC-1031Y	47.86	0.6
AC-1037Y	68.11	0.8
AC-1050Y	76.38	2.0
AC-1062Y	FQ*	3.0
AC-1075Y	FQ*	5.3



3000 SERIES CLEVIS PIN: Hex Head

SWIVEL SIZE	P/N	
-31	L-640A	18.67
-37	L-640A	18.67
-43	L-640B	21.97
-50	L-640B	21.97
-56	L-640C	25.29
-62	L-640C	25.29
-75	L-640D	30.79
-87	L-640E	34.07
-99	L-640F	59.95

*Factory Quote



6000 SERIES CLEVIS PIN: Broached Hex

SWIVEL SIZE	P/N	
-12	LD-733A	9.87
-25	LD-733B	10.97
-37	LD-733C	10.97
-50	LD-733D	10.97
-62	LD-733E	24.95
-75	LD-733G	29.95
-81	LD-733H	31.87
-87	LD-733F	38.49
-99	LD-733F	38.49
-125	LD-733K	41.79
-150	LD-733J	76.97



1406 Fifth Street, SW ▪ Canton, Ohio 44702 ▪ info@esmet.com
1-800-321-0870 ▪ 330-452-9132 ▪ Fax 330-452-2557
www.ElectrolineUSA.com

