


ELECTROLINE®

QUICK CONNECT. STRONG SUPPORT.



End Fittings & Swivels

For Wire & Synthetic Rope

2026 Retail Price List

Retail Price List

Effective January 1, 2026
All Prices Stated In U.S. Dollars

Electroline fittings and swivels are manufactured by Esmet, Inc.

TERMS AND CONDITIONS OF SALE:

FREIGHT CHARGES

All products are shipped F.O.B. shipping point. Unless otherwise specified, products will normally be shipped over land or water, best way.

GENERAL

Prices, warranty, and terms and conditions, are subject to change without notice. Orders will be shipped using the prices, warranty, and terms and conditions in effect at the time the order was placed.

SPECIFICATIONS

All specifications shown are subject to normal manufacturing tolerances and acceptable handling and inspection procedures prior to and during installation and subsequent use of the product. Designs and dimensions are subject to change without notice.

CANCELLATION

An order once placed and accepted by Esmet can be canceled only with Esmet's consent and under terms which indemnify Esmet against loss. Orders for specials or standard goods in quantities larger than normal inventory may not be canceled.

CREDIT AND PAYMENT TERMS

Normal terms are net 30 days. Open accounts will be extended to qualified customers with an initial order of \$500.00 or more. MasterCard, Visa, C.O.D., and C.I.A. terms are available for customers not on open account and ordering less than \$500.00.

CLAIMS


Damage or loss during shipment must be reported to the freight carrier and Esmet within 15 days of receipt. Esmet will assist in replacing products and filing claims. All other discrepancies must be reported to Esmet within 15 days.

RETURNS


Returned products must have a returned material authorization (RMA) number issued by Esmet within 90 days of delivery. A 25% re-stocking charge will be made on stock items. Goods must be received in the same condition as when shipped from Esmet. Special products may not be returnable. All returns must be prepaid.

MINIMUM ORDERS


Orders less than \$100.00 will be assessed a \$25.00 processing and handling fee.

**CLEVIS: Forged Series**

SELF-COLORED	ZINC-PLATED	GALVANIZED	LBS.
IGD-125-N 51.96	IGD-125-V 57.72		0.5
IGD-131-N 59.87	IGD-131-V 70.30		1.1
IGD-137-N 62.01	IGD-137-V 70.42		1.1
GD-143-N 96.25		GD-143-X 105.88	3.0
GD-150-N 105.92		GD-150-X 106.95	3.0
GD-156-N 129.46		GD-156-X 129.46	4.7
GD-162-N 150.14		GD-162-X 141.23	4.7
GD-175-N 207.89		GD-175-X 224.65	7.5
GD-187-N 230.99		GD-187-X 231.84	11.0
GD-199-N 286.64		GD-199-X 358.02	15.4
GD-1112-N 589.02		GD-1112-X 657.16	28.1
GD-1125-N 591.33		GD-1125-X 657.16	28.3

**CLEVIS: Machined Series**

SELF-COLORED	ZINC-PLATED	STAINLESS	LBS.
ID-106-N 31.15	ID-106-V 38.08	IS-106 71.58	0.1
ID-109-N 32.31	ID-109-V 39.24	IS-109 76.20	0.2
ID-112-N 33.46	ID-112-V 40.40	IS-112 76.20	0.2
ID-115-N 36.93	ID-115-V 43.86	IS-115 84.28	0.3
ID-118-N 36.93	ID-118-V 45.01	IS-118 86.59	0.3
ID-121-N 42.46	ID-121-V 50.35	IS-121 88.90	0.4
ID-125-N 42.75	ID-125-V 50.35	IS-125 90.06	0.4
ID-128-N 47.32	ID-128-V 61.18	IS-128 116.62	0.6
ID-131-N 54.25	ID-131-V 61.18	IS-131 117.78	0.6
ID-137-N 62.34	ID-137-V 76.20	IS-137 145.50	1.0
ID-143-N 105.09	ID-143-V 106.25	IS-143 183.61	1.5
ID-150-N 107.40	ID-150-V 108.54	IS-150 202.09	2.1
ID-156-N 116.62	ID-156-V 145.49	IS-156 278.32	4.1
ID-162-N 120.09	ID-162-V 148.96	IS-162 286.41	4.2
ID-175-N 164.00	ID-175-V 207.89	IS-175 399.29	7.0
ID-187-N 300.29	ID-187-V 346.17	IS-187 506.10	10.5
ID-199-N 443.94	ID-199-V 535.45	IS-199 859.20	15.0
ID-1112-N FQ	ID-1112-V FQ	IS-1112 FQ	
ID-1125-N FQ	ID-1125-V FQ	IS-1125 FQ	
ID-1137-N FQ	ID-1137-V FQ	IS-1137 FQ	
ID-1150-N FQ	ID-1150-V FQ	IS-1150 FQ	

**CLEVIS with Pin & Cotter Pin: Industrial Series**

SELF-COLORED	GALVANIZED	LBS.
PD-143-N 113.18	PD-143-X 109.09	3.0
PD-150-N 114.33	PD-150-X 110.61	3.0
PD-156-N 115.49	PD-156-X 132.97	4.7
PD-162-N 127.04	PD-162-X 140.03	4.7
PD-175-N 186.31	PD-175-X 224.65	7.6
PD-187-N 276.01	PD-187-X 385.74	15.8
PD-199-N 546.28	PD-199-X 704.52	28.3

**EYE: Forged Series**

SELF-COLORED	ZINC-PLATED	GALVANIZED	LBS.
IGD-225-N 43.88		IGD-225-X 46.19	0.5
IGD-231-N 66.10		IGD-231-X 66.10	0.5
IGD-237-N 66.10		IGD-237-X 66.10	0.7
GD-243-N 78.70		GD-243-X 85.55	1.6
GD-250-N 79.68		GD-250-X 85.55	1.7
GD-256-N 129.44		GD-256-X 139.14	4.7
GD-262-N 131.95		GD-262-X 140.35	4.7
GD-275-N 133.09		GD-275-X 139.60	4.7
IGD-287-N 241.45	IGD-287-V 282.94	IGD-287-X 276.10	7.7
IGD-299-N 449.26	IGD-299-V 531.27	IGD-299-X 507.01	11.3

**EYE: Machined Series**

SELF-COLORED	ZINC-PLATED	STAINLESS	LBS.
ID-206-N 25.63	ID-206-V 28.84	IS-206 52.75	0.1
ID-209-N 25.63	ID-209-V 28.84	IS-209 51.31	0.1
ID-212-N 27.77	ID-212-V 29.35	IS-212 51.76	0.1
ID-215-N 27.77	ID-215-V 30.57	IS-215 74.69	0.2
ID-218-N 28.24	ID-218-V 31.15	IS-218 69.50	0.2
ID-221-N 41.95	ID-221-V 41.95	IS-221 68.20	0.4
ID-225-N 41.95	ID-225-V 41.95	IS-225 68.20	0.4
ID-228-N 47.32	ID-228-V 47.20	IS-228 87.10	0.5
ID-231-N 54.25	ID-231-V 56.56	IS-231 94.45	0.5
ID-237-N 62.95	ID-237-V 59.80	IS-237 102.76	0.8
ID-243-N 88.76	ID-243-V 92.97	IS-243 160.60	1.8
ID-250-N 90.90	ID-250-V 98.39	IS-250 168.60	1.8
ID-256-N 112.30	ID-256-V 122.38	IS-256 220.45	4.2
ID-262-N 123.57	ID-262-V 128.35	IS-262 226.75	4.2
ID-275-N 135.34	ID-275-V 155.91	IS-275 303.68	7.0
ID-287-N 215.20	ID-287-V 239.07	IS-287 450.95	10.5
ID-299-N 362.20	ID-299-V 427.34	IS-299 629.99	15.0
ID-2112-N FQ	ID-2112-V FQ	IS-2112 FQ	
ID-2125-N FQ	ID-2125-V FQ	IS-2125 FQ	
ID-2137-N FQ	ID-2137-V FQ	IS-2137 FQ	
ID-2150-N FQ	ID-2150-V FQ	IS-2150 FQ	


**TOWING EYE: Forged Series**

SELF-COLORED	GALVANIZED	LBS.
Y-2762-N 175.53	Y-2762-X 218.26	5.2
Y-2775-N 175.53	Y-2775-X 218.26	5.2
Y-27112-N 498.93	Y-27112-X 543.97	16.6

* FQ = FACTORY QUOTE

**OVAL EYE: Forged Series**


SELF-COLORED		GALVANIZED		LBS.
X-3325-N	60.05	X-3325-X	65.82	0.6
X-3331-N	77.37	X-3331-X	80.84	0.0
X-3337-N	78.53	X-3337-X	81.99	0.9
X-3343-N	128.19	X-3343-X	136.45	2.2
X-3350-N	130.50	X-3350-X	138.59	2.2
X-3356-N	177.86	X-3356-X	197.73	6.1
X-3362-N	180.17	X-3362-X	200.08	6.2
X-3375-N	188.95	X-3375-X	208.60	6.2
X-3387-N	261.02	X-3387-X	277.76	11.0
X-3399-N	FQ	X-3399-X	FQ	16.0
X-33112-N	FQ	X-33112-X	FQ	33.7
X-33125-N	FQ	X-33125-X	FQ	34.0

**DRUM**


SELF-COLORED		ZINC-PLATED		LBS.
Y-2206-N	16.14	Y-2206-V	19.60	0.1
Y-2209-N	16.14	Y-2209-V	19.60	0.1
Y-2212-N	16.14	Y-2212-V	20.76	0.1
Y-2215-N	18.45	Y-2215-V	23.07	0.1
Y-2218-N	18.45	Y-2218-V	23.07	0.1
Y-2225-N	21.91	Y-2225-V	27.69	0.2
Y-2231-N	32.31	Y-2231-V	34.62	0.4
Y-2237-N	36.70	Y-2237-V	34.62	0.4
Y-2243-N	64.67	Y-2243-V	70.44	0.8
Y-2250-N	64.67	Y-2250-V	70.44	1.0
Y-2256-N	64.67	Y-2256-V	70.44	1.9
Y-2262-N	70.44	Y-2262-V	70.44	1.9
Y-2275-N	115.45	Y-2275-V	125.95	3.0
Y-2287-N	197.49	Y-2287-V	207.89	5.1
Y-2299-N	255.24	Y-2299-V	278.34	6.5
Y-22112-N	FQ	Y-22112-V	FQ	23.5
Y-22125-N	FQ	Y-22125-V	FQ	23.5
Y-22137-N	FQ	Y-22137-V	FQ	39.6
Y-22150-N	FQ	Y-22150-V	FQ	39.6

**COUPLING**

SELF-COLORED		ZINC-PLATED		LBS.
GD-506-N	39.26	GD-506-V	42.72	0.1
GD-509-N	39.26	GD-509-V	42.72	0.2
GD-512-N	39.85	GD-512-V	42.72	0.2
GD-515-N	39.85	GD-515-V	42.72	0.4
GD-518-N	39.85	GD-518-V	42.72	0.4
GD-521-N	53.12	GD-521-V	63.51	0.4
GD-525-N	53.12	GD-525-V	63.51	0.4
GD-528-N	70.44	GD-528-V	80.84	0.6
GD-531-N	70.44	GD-531-V	80.84	0.6
GD-537-N	73.45	GD-537-V	81.99	0.8
GD-543-N	89.20	GD-543-V	93.40	1.5
GD-550-N	108.56	GD-550-V	105.26	3.8
GD-556-N	125.88	GD-556-V	135.51	3.8
GD-562-N	139.74	GD-562-V	146.40	3.8
GD-575-N	226.37	GD-575-V	261.02	6.0
GD-587-N	295.67	GD-587-V	326.85	10.3
GD-599-N	359.19	GD-599-V	377.67	17.0
GD-5112-N	FQ	GD-5112-V	FQ	35.0
GD-5125-N	FQ	GD-5125-V	FQ	44.0
GD-5137-N	FQ	GD-5137-V	FQ	58.0
GD-5150-N	FQ	GD-5150-V	FQ	58.0

**STUD: Course Thread**

SELF-COLORED		ZINC-PLATED		GALVANIZED		LBS.
IGD-312-N	31.45	IGD-312-V	30.00			0.5
IGD-318-N	52.45	IGD-318-V	47.20			0.7
GD-325-N	60.85	GD-325-V	62.95	GD-325-X	61.18	1.0
GD-331-N	62.95	GD-331-V	66.96	GD-331-X	66.96	1.8
GD-337-N	68.20	GD-337-V	71.58	GD-337-X	71.58	2.0
GD-343-N	85.75	GD-343-V	91.97	GD-343-X	98.95	3.6
GD-350-N	89.20	GD-350-V	#REF!	GD-350-X	102.25	3.6
GD-356-N	120.09			GD-356-X	132.79	4.7
GD-362-N	124.71			GD-362-X	137.41	4.7
GD-375-N	155.35			GD-375-X	185.94	7.2
GD-387-N	215.95			GD-387-X	284.12	9.5
GD-399-N	355.71			GD-399-X	392.67	14.0


**STUD: Course Thread**

GALVANIZED		STAINLESS		LBS.
		IGS-312	57.72	0.5
		IGS-318	83.13	0.7
		IGS-325	89.20	1.0
		IGS-331	104.95	1.8
		IGS-337	124.71	2.0
		IGS-343	182.46	3.6
		IGS-350	279.47	4.7
ID-356-X	154.15	IS-356	287.56	4.7
ID-362-X	157.69	IS-362	333.76	7.2
ID-375-X	213.00	IS-375	545.95	9.5
ID-387-X	385.15	IS-387	FQ	14.0
ID-399-X	FQ	IS-399	FQ	14.0
ID-3112-X	FQ	IS-3112	FQ	32.4
ID-3125-X	FQ	IS-3125	FQ	55.7
ID-3137-X	FQ	IS-3137	FQ	55.7
ID-3150-X	FQ	IS-3150	FQ	

**STUD: Fine Thread**

SELF-COLORED		ZINC-PLATED		STAINLESS		LBS.
ID-306-N	23.05	ID-306-V	28.84	IS-306	70.00	0.1
ID-309-N	23.07	ID-309-V	28.84	IS-309	53.10	0.1
ID-312-N	24.22	ID-312-V	30.00	IS-312	55.41	0.1
ID-315-N	37.89	ID-315-V	43.95	IS-315	71.76	0.2
ID-318-N	37.94	ID-318-V	45.05	IS-318	78.51	0.2
ID-321-N	52.45	ID-321-V	56.65	IS-321	88.76	0.5
ID-325-N	52.45	ID-325-V	56.65	IS-325	90.90	0.5
ID-328-N	53.45	ID-328-V	57.70	IS-328	108.10	0.8
ID-331-N	53.45	ID-331-V	60.85	IS-331	121.75	0.8
ID-337-N	57.72	ID-337-V	71.58	IS-337	146.95	1.1
ID-343-N	82.45	ID-343-V	96.25	IS-343	171.15	1.8
ID-350-N	84.67	ID-350-V	101.61	IS-350	188.23	2.3

* FQ = FACTORY QUOTE



OPEN BODY CLEVIS/SOCKET TURNBUCKLE: Forged Series

GALVANIZED		LBS
XD-4025-AX	114.31	2.3
XD-4025-BX	130.15	2.6
XD-4025-CX	132.25	3.0
XD-4031-AX	132.81	2.3
XD-4031-BX	133.97	2.6
XD-4031-CX	136.28	3.0
XD-4037-AX	140.88	3.0
XD-4037-BX	155.89	3.6
XD-4037-CX	163.98	4.1
XD-4043-AX	184.79	4.6
XD-4043-BX	207.89	5.4
XD-4043-CX	226.37	6.1
XD-4050-AX	196.34	4.6
XD-4050-BX	207.89	5.4
XD-4050-CX	230.99	6.1
XD-4056-CX	321.06	9.3
XD-4056-DX	436.58	14.0
XD-4062-CX	317.59	9.3
XD-4062-DX	415.79	14.2
XD-4075-CX	1016.39	22.9
XD-4075-DX	1362.89	28.6
XD-4075-EX	1374.44	34.3
XD-4087-CX	1074.14	22.9
XD-4087-DX	1443.74	28.6
XD-4087-EX	1455.29	34.3
XD-4099-CX	FQ	37.5
XD-4099-DX	FQ	40.7
XD-4099-EX	FQ	42.0
XD-40112-DX	FQ	71.0
XD-40112-EX	FQ	75.0
XD-40125-DX	FQ	78.2
XD-40125-EX	FQ	82.0
XD-40137-EX	FQ	91.4
XD-40150-EX	FQ	94.3



OPEN BODY SOCKET/SOCKET TURNBUCKLE: Forged Series

GALVANIZED		LBS
XD-5425-AX	136.45	2.3
XD-5425-BX	136.45	2.6
XD-5425-CX	139.72	3.0
XD-5431-AX	152.43	2.3
XD-5431-BX	148.96	2.6
XD-5431-CX	158.20	3.0
XD-5437-AX	161.67	3.0
XD-5437-BX	182.65	3.6
XD-5437-CX	199.45	4.1
XD-5443-AX	209.95	4.6
XD-5443-BX	220.45	5.4
XD-5443-CX	221.50	5.1
XD-5450-AX	220.59	4.6
XD-5450-BX	230.95	5.4
XD-5450-CX	243.69	6.1
XD-5456-CX	325.68	9.3
XD-5456-DX	483.91	14.0
XD-5462-CX	335.95	9.3
XD-5462-DX	450.44	14.2
XD-5475-CX	808.47	22.9
XD-5475-DX	1049.95	28.6
XD-5475-EX	FQ	34.3
XD-5487-CX	FQ	22.9
XD-5487-DX	FQ	28.6
XD-5487-EX	FQ	34.3
XD-5499-CX	FQ	37.5
XD-5499-DX	FQ	40.7
XD-5499-EX	FQ	42.0
XD-54112-DX	FQ	71.0
XD-54112-EX	FQ	75.0
XD-54125-DX	FQ	78.2
XD-54125-EX	FQ	82.0
XD-54137-EX	FQ	94.1
XD-54150-EX	FQ	94.3



CLOSED BODY CLEVIS/SOCKET TURNBUCKLE: Machined Series

SELF-COLORED	ZINC-PLATED	STAINLESS	LBS.
ID-406-N	82.45	ID-406-V	87.95
ID-409-N	83.55	ID-409-V	88.30
ID-412-N	84.69	ID-412-V	95.56
ID-415-N	139.65	ID-415-V	148.45
ID-418-N	140.75	ID-418-V	149.55
ID-421-N	145.15	ID-421-V	151.75
ID-425-N	145.15	ID-425-V	153.95
ID-428-N	148.45	ID-428-V	171.79
ID-431-N	149.55	ID-431-V	173.00
ID-437-N	186.95	ID-437-V	205.67
ID-443-N	285.95	ID-443-V	318.95
ID-450-N	296.95	ID-450-V	329.95
ID-456-N	FQ	ID-456-V	FQ
ID-462-N	FQ	ID-462-V	FQ
ID-475-N	FQ	ID-475-V	FQ
IS-406	142.75	IS-406	142.75
IS-409	155.89	IS-409	155.89
IS-412	178.99	IS-412	178.99
IS-415	205.56	IS-415	205.56
IS-418	214.80	IS-418	214.80
IS-421	241.36	IS-421	241.36
IS-425	249.45	IS-425	249.45
IS-428	323.37	IS-428	323.37
IS-431	325.68	IS-431	325.68
IS-437	398.95	IS-437	398.95
IS-443	480.45	IS-443	480.45
IS-450	564.76	IS-450	564.76
IS-456	818.72	IS-456	818.72
IS-462	829.45	IS-462	829.45
IS-475	1322.95	IS-475	1322.95



CLOSED BODY SOCKET/SOCKET TURNBUCKLE: Machined Series


SELF-COLORED	ZINC-PLATED	STAINLESS	LBS.
ID-5506-N	78.53	ID-5506-V	80.82
ID-5509-N	90.06	ID-5509-V	99.30
ID-5512-N	90.08	ID-5512-V	86.61
ID-5515-N	136.45	ID-5515-V	145.19
ID-5518-N	138.55	ID-5518-V	145.19
ID-5521-N	141.70	ID-5521-V	148.82
ID-5525-N	142.75	ID-5525-V	151.24
ID-5528-N	144.36	ID-5528-V	165.15
ID-5531-N	147.83	ID-5531-V	167.46
ID-5537-N	178.45	ID-5537-V	219.44
ID-5543-N	262.45	ID-5543-V	293.95
ID-5550-N	272.95	ID-5550-V	325.45
ID-5556-N	FQ	ID-5556-V	FQ
ID-5562-N	FQ	ID-5562-V	FQ
IS-5506	148.45	IS-5506	148.45
IS-5509	142.03	IS-5509	142.03
IS-5512	150.12	IS-5512	150.12
IS-5515	189.94	IS-5515	189.94
IS-5518	198.63	IS-5518	198.63
IS-5521	256.38	IS-5521	256.38
IS-5525	259.84	IS-5525	259.84
IS-5528	311.82	IS-5528	311.82
IS-5531	315.28	IS-5531	315.28
IS-5537	391.51	IS-5537	391.51
IS-5543	514.45	IS-5543	514.45
IS-5550	582.09	IS-5550	582.09
IS-5556	635.24	IS-5556	635.24
IS-5562	646.79	IS-5562	646.79




CLOSED BODY CLEVIS/CLEVIS TURNBUCKLE: Machined Series

SELF-COLORED	ZINC-PLATED	STAINLESS	LBS.
IJD-406-N	78.70	IJD-406-V	80.84
IJD-409-N	86.61	IJD-409-V	95.83
IJD-412-N	86.61	IJD-412-V	98.16
IJD-415-N	125.95	IJD-415-V	131.64
IJD-418-N	127.04	IJD-418-V	136.26
IJD-421-N	127.04	IJD-421-V	138.59
IJD-425-N	127.04	IJD-425-V	138.59
IJD-428-N	136.26	IJD-428-V	159.36
IJD-431-N	137.41	IJD-431-V	161.69
IJD-437-N	175.95	IJD-437-V	193.57
IJD-443-N	219.95	IJD-443-V	251.65
IJD-450-N	304.45	IJD-450-V	308.35
IJD-475-N	415.79	IJD-475-N	415.79
IJS-406	139.72	IJS-406	139.72
IJS-409	184.77	IJS-409	184.77
IJS-412	199.45	IJS-412	199.45
IJS-415	220.45	IJS-415	220.45
IJS-418	220.45	IJS-418	220.45
IJS-421	257.53	IJS-421	257.53
IJS-425	257.53	IJS-425	257.53
IJS-428	306.04	IJS-428	306.04
IJS-431	306.04	IJS-431	306.04
IJS-437	395.95	IJS-437	395.95
IJS-443	460.81	IJS-443	460.81
IJS-450	539.35	IJS-450	539.35
IJS-462	FQ	IJS-462	FQ
IJS-475	FQ	IJS-475	FQ


* FQ = FACTORY QUOTE

**SWIVEL HOOK**


SELF-COLORED	ZINC-PLATED	LBS.
Y-2518-N 120.95	Y-2518-V 131.95	1.2
Y-2525-N 131.95	Y-2525-V 142.95	1.4
Y-2531-N 137.45	Y-2531-V 153.95	1.6
Y-2537-N 163.85	Y-2537-V 175.95	2.7
Y-2543-N 285.95	Y-2543-V 290.39	3.9
Y-2550-N 329.95	Y-2550-V 340.95	5.0
Y-2556-N 340.95	Y-2556-V 350.89	10.0
Y-2562-N 351.95	Y-2562-V 362.99	11.0
Y-2575-N 641.29	Y-2575-V 701.79	16.0
Y-2587-N FQ	Y-2587-V FQ	21.0
Y-2599-N FQ	Y-2599-V FQ	30.3

**NON-SWIVEL HOOK**


SELF-COLORED	ZINC-PLATED	LBS.
Y-2618-N 81.06	Y-2618-V 90.74	0.6
Y-2625-N 107.75	Y-2625-V 104.05	0.9
Y-2631-N 108.89	Y-2631-V 130.67	1.3
Y-2637-N 120.99	Y-2637-V 147.61	1.7
Y-2643-N 197.95	Y-2643-V 152.45	2.8
Y-2650-N 217.79	Y-2650-V 202.06	4.0
Y-2656-N 252.95	Y-2656-V 304.91	8.0
Y-2662-N 266.19	Y-2662-V 324.27	8.3
Y-2675-N 362.99	Y-2675-V 462.21	13.4
Y-2687-N 496.09	Y-2687-V 504.56	18.6
Y-2699-N 556.59	Y-2699-V 671.54	27.2

**SAFETY LATCH KIT**

SINGLE ACTION	DOUBLE ACTION
L-227 22.98	L-490A 48.39
L-227A 24.19	L-490B 48.39
L-227B 26.61	L-490C 52.02
L-227C 32.64	L-490D 54.44
L-227D 42.34	L-490E 120.99
L-227E 54.95	L-490F 197.95
L-227F 74.75	
L-227G 84.69	
L-227J 181.49	

**NON-BEARING OVAL EYE SWIVEL**

SELF-COLORED	ZINC-PLATED	LBS.
Y-1143-N 181.49	Y-1143-V 193.57	2.2
Y-1150-N 181.49	Y-1150-V 197.20	2.3
Y-1156-N 218.98	Y-1156-V 266.19	10.0
Y-1162-N 241.95	Y-1162-V 278.29	10.0
Y-1175-N 384.95	Y-1175-V 399.29	10.0
Y-1187-N 395.95	Y-1187-V 439.95	12.2
Y-1199-N FQ	Y-1199-V FQ	16.8
Y-11112-N FQ	Y-11112-V FQ	40.0
Y-11125-N FQ	Y-11125-V FQ	41.2
Y-11137-N FQ	Y-11137-V FQ	89.1

**CLEVIS WITH SISTER HOOK: Lifeline**

STAINLESS	LBS.	ALUMINUM	LBS.
FOR WIRE ROPE		FOR PULTRUDED ROD	
NS-4843 212.49	2.1	NAF-4843 127.02	1.3
NS-4850 234.43	2.6	NAF-4856 175.14	1.3
NS-4856 252.91	2.8	FOR MYLAR & NYLON ROPE	
NS-4862 278.32	2.1	NAM-4856 229.81	0.7
FOR PULTRUDED ROD		NAM-4862 230.97	0.8
NSF-4843 308.35	2.6	FOR KEVLAR	
NSF-4856 338.38	2.1	NAK-4850 178.45	1.5
FOR MYLAR & NYLON ROPE			
NSM-4856 FQ	2.6		
NSM-4862 FQ	2.8		

**CLEVIS WITH SISTER HOOK: Lifeline**

STAINLESS	ALUMINUM
NSK-137B 310.25	NAK-137B 171.15
NSK-150B FQ	NAK-150B 167.95

**CLOSED BODY TURNBUCKLE WITH SISTER HOOK: Lifeline**

STAINLESS	LBS.	ALUMINUM	LBS.
FOR WIRE ROPE		FOR PULTRUDED ROD	
NS-4943 398.95	5.0	NAF-4943 258.93	2.1
NS-4950 409.45	5.5	NAF-4956 329.55	2.1
NS-4956 419.95	5.8	FOR MYLAR & NYLON ROPE	
NS-4962 415.77	5.0	NAM-4950 325.45	2.5
FOR PULTRUDED ROD		NAM-4956 325.45	1.9
NSF-4943 503.95	5.0	NAM-4962 300.29	2.0
NSF-4956 528.96	5.5	FOR KEVLAR	
FOR MYLAR & NYLON ROPE		NAK-4950 314.95	2.5
NSM-4950 FQ			
NSM-4956 FQ	5.5		
NSM-4962 FQ	5.8		

REPLACEMENT SLEEVE: Lifeline

STAINLESS	ALUMINUM
NS-943 53.10	NA-943 FQ
NS-950 53.10	NA-956 27.69
NS-956 56.56	NAK-937 55.29
NS-962 56.56	NAK-950 68.20
NSK-956 FQ	NAK-956 FQ
NSK-962 104.95	NAK-962 FQ
NSK-937 FQ	
NSK-950 FQ	


**LIFELINE INSULATOR**

STAINLESS	LBS.
SP-558 346.45	1.3

**OFFSET EYE**

	LBS.
X-3418 50.81	0.2


* FQ = FACTORY QUOTE



CLOSED BODY DOUBLE CLEVIS TURNBUCKLE: Antenna Fittings

NAVAL BRONZE

YZ-431-R 273.72



RADIO ANTENNA OPEN END FITTING

NAVAL BRONZE


X-31-131-R 128.17



SHACKLE & PIN ASSEMBLY

NAVAL BRONZE

X-2843-R 123.55



SLEEVE SELECTION TABLE

SELF-COLORED		ZINC-PLATED		STAINLESS	
ID-906-N	9.23	ID-906-V	9.23	IS-906	18.34
ID-909-N	9.40	ID-909-V	6.90	IS-909	12.67
ID-912-N	9.40	ID-912-V	6.90	IS-912	13.83
ID-915-N	9.02	ID-915-V	9.21	IS-915	16.91
ID-918-N	9.02	ID-918-V	9.21	IS-918	17.29
ID-921-N	24.10	ID-921-V	24.10	IS-921	18.12
ID-925-N	13.60	ID-925-V	10.45	IS-925	18.12
ID-928-N	13.60	ID-928-V	13.85	IS-928	26.20
ID-931-N	13.60	ID-931-V	14.98	IS-931	32.95
ID-937-N	13.83	ID-937-V	17.29	IS-937	32.95
ID-943-N	16.14	ID-943-V	19.60	IS-943	36.93
ID-950-N	18.45	ID-950-V	21.91	IS-950	40.39
ID-956-N	20.76	ID-956-V	26.53	IS-956	49.63
ID-962-N	27.71	ID-962-V	28.86	IS-962	51.94
ID-975-N	42.75	ID-975-V	45.96	IS-975	72.57
ID-987-N	54.95	ID-987-V	60.45	IS-987	84.28
ID-999-N	FQ	ID-999-V	87.10	IS-999	139.72
ID-9112-N	FQ	ID-9112-V	FQ	IS-9112	263.31
ID-9125-N	FQ	ID-9125-V	FQ	IS-9125	401.93
ID-9137-N	FQ	ID-9137-V	FQ	IS-9137	FQ
ID-9150-N	FQ	ID-9150-V	FQ	IS-9150	FQ


ASSEMBLY KITS FOR INDIVIDUAL WIRE ROPE

		LBS.
SP-307-D	60.03	0.4
SP-307-E	60.03	0.8
SP-307-F	60.03	0.8
SP-307-G	60.03	0.7
SP-307-H	60.03	1.0
SP-307-J	60.03	1.0
SP-307-K	60.03	1.1
SP-307-L	60.03	1.0
SP-307-M	60.03	1.3
SP-307-N	60.03	1.2
SP-307-P	60.03	2.4
SP-307-Q	62.89	2.3
SP-307-R	62.89	3.3
SP-307-S	62.89	3.1
SP-307-T	62.89	3.5
SP-307-V	62.89	3.5
SP-307-W	62.89	3.5



MA 800, MA 2600, MB 1500, ME 300 PLUG

MA-831	FQ	MA-2625	15.70	MB-1518	10.36	ME-306	FQ
MA-837	24.22	MA-2637	16.16	MB-1521	FQ	ME-309	FQ
MA-843	FQ	MA-2643	16.16	MB-1525	11.52	ME-312	15.70
MA-850	24.24	MA-2650	17.29	MB-1528	FQ	ME-315	15.70
MA-856	31.45	MA-2656	20.76	MB-1531	12.67	ME-318	15.70
MA-862	27.25	MA-2662	23.07	MB-1537	14.98	ME-321	15.70
MA-875	30.00	MA-2675	30.00	MB-1543	FQ	ME-325	24.14
MA-887	33.46	MA-2687	33.46	MB-1550	23.09	ME-328	54.72
MA-899	52.45	MA-2699	42.70	MB-1556	FQ	ME-331	24.14
MA-8112	55.41	MA-26112	54.72	MB-1562	24.24	ME-337	28.54
MA-8125	FQ			MB-1575	FQ	ME-343	30.74
				MB-1587	FQ	ME-350	41.90
				MB-1599	FQ	ME-356	41.90
						ME-362	43.94
						ME-375	57.14
						ME-387	63.74
						ME-399	FQ



MB 700 PLUG

MB-709	5.74
MB-712	6.90
MB-715	9.40
MB-718	10.36
MB-721	10.36
MB-725	11.52
MB-728	12.67
MB-731	12.67
MB-737	14.98
MB-743	24.10
MB-750	24.10



MB 1600 PLUG

MB-1609	6.92
MB-1612	8.07
MB-1615	9.23
MB-1618	FQ
MB-1625	FQ
MB-1631	FQ



MZ 500 PLUG

MZ-537	14.98
MZ-543	16.14
MZ-550	17.29
MZ-556	26.55
MZ-562	33.46
MZ-575	47.32
MZ-587	61.20
MZ-599	61.20
MZ-5112	FQ



MZ 1400 PLUG

MZ-1437	34.64
MZ-1443	30.00
MZ-1450	30.00
MZ-1462	30.00
MZ-1475	FQ



MZ 1700 PLUG

MZ-1756	16.14
MZ-1762	20.76
MZ-1775	27.69
MZ-1787	40.39
MZ-1799	43.86
MZ-17112	116.55
MZ-17125	FQ
MZ-17137	FQ
MZ-17150	FQ



MZ 1800 PLUG

MZ-1843	FQ
MZ-1850	FQ
MZ-1856	FQ
MZ-1862	21.91
MZ-1875	33.46
MZ-1887	33.46
MZ-1899	47.32
MZ-18112	FQ
MZ-18125	FQ



MZ 1900 PLUG

MZ-1956	23.07
MZ-1962	23.07
MZ-1975	32.33
MZ-1987	46.19
MZ-1999	46.19
MZ-19112	76.20
MZ-19125	133.95
MZ-19137	FQ
MZ-19150	FQ


* FQ = FACTORY QUOTE

**CLEVIS: Kevlar, Extruded Jacket****ALUMINUM**

KA-112	99.70
KA-118	99.70
KA-125	131.20
KA-131	141.70
KA-137	163.75
KA-143	178.45
KA-150	178.45
KA-156	272.95
KA-162	384.60
KA-175	FQ

**EYE: Kevlar, Extruded Jacket****ALUMINUM**

KA-218	87.75
KA-225	107.05
KA-231	141.70
KA-237	150.14
KA-243	178.45
KA-250	178.45
KA-256	282.94
KA-262	358.04

**STUD: Kevlar, Extruded Jacket****ALUMINUM**


KA-318	138.59
KA-325	138.59
KA-331	141.70
KA-337	141.70
KA-343	150.14
KA-350	167.95
KA-356	167.46
KA-362	325.45
KA-375	404.24

**CLEVIS: Kevlar, Braided Jacket****ALUMINUM**

IKA-118	61.90
IKA-125	80.82
IKA-131	96.99
IKA-137	100.75
IKA-150	158.20
IKA-162	219.42
IKA-175	FQ

**EYE: Kevlar, Braided Jacket****ALUMINUM**

IKA-218	61.90
IKA-225	79.66
IKA-231	91.21
IKA-237	129.33
IKA-250	150.12
IKA-262	199.45
IKA-275	265.64

**STUD: Kevlar, Braided Jacket****ALUMINUM**


IKA-318	73.45
IKA-325	73.91
IKA-331	125.86
IKA-337	137.41
IKA-350	234.43
IKA-362	254.09
IKA-375	FQ

**CARABINER EYE SOCKET: Kernmantle Rope****ALUMINUM**


YAR-243	49.63	LBS
YAR-250	56.56	0.5
YAR-262	66.96	0.7
		0.9

**CLEVIS: Kernmantle Rope (Machined)****ALUMINUM**

YAR-143	57.74	LBS
YAR-150	68.11	0.6
YAR-162	84.30	0.8
		1.0

**OPTICAL "OK" FITTING: Kevlar**


OKS-148-4	FQ
OKS -150-4	FQ

**ELECTRO-MECHANICAL: Cable**

EMCF	FQ
------	----

* FQ = FACTORY QUOTE

MODELS



30


33

34

3000 SERIES: Socket

P/N	SOCKET HOOK	P/N	SOCKET EYE	P/N	SOCKET/ CLEVIS
3031	263.95	3312	86.53	3412	104.95
3037	269.45	3318	99.42	3418	114.15
3043	450.95	3325	112.33	3425	130.71
3050	450.95	3331	209.95	3431	251.95
3056	746.25	3337	209.95	3437	251.95
3062	727.58	3343	272.95	3443	304.45
3075	1170.70	3350	272.95	3450	314.95
3087	1333.45	3356	440.95	3456	474.52
3099	2362.45	3362	451.45	3462	480.18
		3375	629.95	3475	713.95
		3387	734.95	3487	745.45
		3399	1312.45	3499	1539.84

MODELS



31


35

36

3000 SERIES: Eye

P/N	EYE HOOK	P/N	EYE CLEVIS	P/N	EYE EYE
3131	246.56	3512	104.95	3612	91.16
3137	246.56	3518	114.39	3618	103.68
3143	367.45	3525	136.45	3625	119.76
3150	377.95	3531	230.95	3631	199.45
3156	795.22	3537	230.95	3637	199.45
3162	795.22	3543	304.45	3643	272.95
3175	1081.45	3550	314.95	3650	283.45
3187	1375.45	3556	598.45	3656	524.95
3199	2236.45	3562	598.45	3662	524.95
		3575	661.45	3675	640.45
		3587	776.95	3687	734.95
		3599	1454.18	3699	1145.64

MODELS



32

37


38

3000 SERIES: Clevis

P/N	CLEVIS HOOK	P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
3231	283.45	3712	125.95	3812	104.95
3237	283.45	3718	130.49	3818	114.39
3243	430.45	3725	157.45	3825	136.45
3250	451.45	3731	272.95	3831	230.95
3256	734.95	3737	276.10	3837	230.95
3262	734.95	3743	367.45	3843	304.45
3275	1081.45	3750	409.45	3850	314.95
3287	1574.81	3756	556.45	3856	598.45
3299	2372.95	3762	650.95	3862	598.45
		3775	724.45	3875	661.45
		3787	976.45	3887	776.95
		3799	1553.95	3899	1454.20

* FQ = FACTORY QUOTE

MODELS



60


63

64

6000 SERIES GOLD BAND SWIVELS: Socket

P/N	SOCKET HOOK	P/N	SOCKET EYE	P/N	SOCKET CLEVIS
6012	279.48	6312	251.95	6412	277.17
6025	308.35	6325	378.81	6425	326.83
6037	427.32	6337	445.80	6437	451.57
6050	514.45	6350	495.46	6450	483.91
6062	713.95	6362	495.48	6462	672.18
6075	1133.95	6375	803.85	6475	839.65
6081	1133.95	6381	826.95	6481	843.12
6087	2656.49	6387	1727.87	6487	1651.64
6099	2771.99	6399	1727.87	6499	1674.74
60125	FQ	63125	FQ	64125	FQ
60150	FQ	63150	FQ	64150	FQ

MODELS



61


65

66

6000 SERIES GOLD BAND SWIVELS: Eye

P/N	CLEVIS HOOK	P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
6112	245.98	6512	181.30	6612	221.73
6125	324.52	6525	264.46	6625	267.93
6137	369.57	6537	393.82	6637	390.36
6150	461.99	6550	465.43	6650	472.36
6162	716.09	6562	647.92	6662	656.01
6175	1186.45	6575	749.56	6675	781.90
6181	1186.45	6581	771.51	6681	796.92
6187	2656.49	6587	1651.62	6687	1651.64
6199	2771.99	6599	1674.72	6699	1674.74
61125	FQ	65125	FQ	66125	FQ
61150	FQ	65150	FQ	66150	FQ

MODELS



62

67


68

6000 SERIES GOLD BAND SWIVELS: Clevis

P/N	CLEVIS HOOK	P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
6212	261.00	6712	198.63	6812	181.30
6225	279.48	6725	330.30	6825	264.46
6237	385.74	6737	449.26	6837	393.82
6250	519.72	6750	500.08	6850	465.43
6262	807.31	6762	707.98	6862	647.92
6275	1186.45	6775	918.19	6875	749.56
6281	1186.45	6781	945.91	6881	771.51
6287	2656.49	6787	1555.75	6887	1651.62
6299	3002.95	6799	2166.75	6899	1674.72
62125	FQ	67125	3884.95	68125	FQ
62150	FQ	67150	4405.75	68150	FQ

* FQ = FACTORY QUOTE

MODELS




65

66

STAINLESS STEEL SWIVEL: Sealed

P/N	EYE CLEVIS	P/N	EYE EYE
SS-6525	304.45	SS-6625	294.49
SS-6537	433.09	SS-6637	429.63
SS-6550	512.79	SS-6650	519.72
SS-6562	FQ	SS-6662	755.95

MODELS




67

68

STAINLESS STEEL SWIVEL: Sealed

P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
SS-6725	367.45	SS-6825	300.29
SS-6737	493.15	SS-6837	433.09
SS-6750	549.75	SS-6850	512.79
SS-6762	1049.95	SS-6862	797.95

MODELS




65

66

STAINLESS STEEL SWIVEL: Sealed
Pressure Compensated

P/N	EYE CLEVIS	P/N	EYE EYE
SSP-6525	362.66	SSP-6625	440.95
SSP-6537	496.62	SSP-6637	503.95
SSP-6550	FQ	SSP-6650	734.95
SSP-6562	FQ	SSP-6662	902.95
SSP-6575	FQ	SSP-6675	1574.95
SSP-6587	FQ	SSP-6687	FQ
SSP-6599	FQ	SSP-6699	FQ

MODELS




67

68


STAINLESS STEEL SWIVEL: Sealed
Pressure Compensated

P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
SSP-6725	396.13	SSP-6825	415.79
SSP-6737	577.45	SSP-6837	496.62
SSP-6750	797.95	SSP-6850	755.34
SSP-6762	900.89	SSP-6862	923.99
SSP-6775	1679.95	SSP-6875	1679.95
SSP-6787	FQ	SSP-6887	FQ
SSP-6799	FQ	SSP-6899	FQ


* FQ = FACTORY QUOTE


**7200 SERIES 90-DEGREE CONNECTOR:
Clevis/Clevis**


P/N	WLL 3:1 (POUNDS)	
7212	2300	46.19
7225	5000	49.65
7237	8000	70.42
7250	11500	78.51
7262	18500	115.45
7275	31500	199.78


ROPE THIMBLE: For Clevis Swivel


ROPE SIZE	P/N	
1/2	L-713-4	13.60
3/4	L-713-9	37.02
7/8	L-713-8	57.70
1	L-713-8	57.70


3000 SERIES CLEVIS PIN: Hex Head

SWIVEL SIZE	P/N	
3X12	LS-410K	20.95
3X18	LS-410L	20.95
3X25	LS-410M	22.00


3000 SERIES CLEVIS PIN: Hex Head

SWIVEL SIZE	P/N	
3X31	L-640A	19.60
3X37	L-640A	19.60
3X43	L-640B	23.07
3X50	L-640B	23.07
3X56	L-640C	26.55
3X62	L-640C	26.55
3X75	L-640D	32.33
3X87	L-640E	35.77
3X99	L-640F	62.95


6000 SERIES CLEVIS PIN: Broached Hex

SWIVEL SIZE	P/N	
6X12	LD-733A	10.36
6X25	LD-733B	11.52
6X37	LD-733C	11.52
6X50	LD-733D	11.52
6X62	LD-733E	26.20
6X75	LD-733G	31.45
6X81	LD-733H	33.46
6X87	LD-733F	40.41
6X89	LD-733F	40.41
6X125	LD-733K	43.88
6X150	LD-733J	80.82


ELECTROLINE CLAMP

ALUMINUM		LBS
AC-1012Y	31.45	0.1
AC-1018Y	34.60	0.3
AC-1025Y	40.52	0.3
AC-1031Y	50.25	0.6
AC-1037Y	71.52	0.8
AC-1050Y	80.20	2.0
AC-1062Y	FQ	5.3
AC-1075Y	FQ	5.3

* FQ = FACTORY QUOTE



1406 Fifth Street SW • Canton, Ohio 44702
1-800-321-0870 • 330-452-9132 • Fax 330-452-2557
info@ElectrolineUSA.com • www.ElectrolineUSA.com

